

PRESCOT

# TAŚMY LED

ECONOMIC





**ECONOMIC**

---

### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-100-8-WW	2800-3200K	90	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261416	1
PR007-100-8-WW40	2800-3200K	90	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885261423	1
PR007-100-8-NW	4000-4500K	105	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885267180	1
PR007-100-8-NW40	4000-4500K	105	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885267197	1
PR007-100-8-W	6000-7000K	120	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261430	1
PR007-100-8-W40	6000-7000K	120	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885261447	1
PR007-100-8-R	czerwona	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264288	1
PR007-100-8-G	zielona	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264301	1
PR007-100-8-Y	żółta	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264318	1
PR007-050-8-WW	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261294	2

### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-050-8-WW40	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885261300	2
PR007-050-8-NW	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885265421	2
PR007-050-8-NW40	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885266695	2
PR007-050-8-W	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261034	2
PR007-050-8-W40	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885264219	2
PR007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264226	2
PR007-050-8-P	fioletowa	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684852024	2
PR007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264233	2
PR007-050-8-O	pomarańczowa	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885269023	2
PR007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264240	2

### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-050-8-Y	żółta	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684855346	2
PR007-031-8-WW	2800-3200K	288	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266664	3
PR007-031-8-W	6000-7000K	384	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266671	3
PR007-025-8-WW	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261317	4
PR007-025-8-WW40	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264257	4
PR007-025-8-NW	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885265438	4
PR007-025-8-NW40	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP20	40	5903684852291	4
PR007-025-8-W	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261324	4
PR007-025-8-W40	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264264	4
PR007-025-8-R	czerwona	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852109	4

### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-025-8-P	fioletowa	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852116	4
PR007-025-8-B	niebieska	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852123	4
PR007-025-8-O	pomarańczowa	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852130	4
PR007-025-8-G	zielona	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852147	4
PR020-050-10-WW	2800-3200K	600	12	60	10	50	12	80	SMD2835	IP20	5	5901885261263	2
PR020-050-10-NW	4000-4500K	630	12	60	10	50	12	80	SMD2835	IP20	5	5901885266381	2
PR020-050-10-W	6000-7000K	660	12	60	10	50	12	80	SMD2835	IP20	5	5901885261287	2

### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-100-8-WW	2800-3200K	90	2,1	30	8	50	12	80	SMD2835	IP63	5	5901885261454	1
EH007-100-8-W	6000-7000K	120	2,1	30	8	50	12	80	SMD2835	IP63	5	5901885265520	1
EH007-050-8-WW	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261331	2
EH007-050-8-WW25	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	25	5901885261348	2
EH007-050-8-WW99	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885265308	2
EH007-050-8-NW	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265445	2
EH007-050-8-NW25	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	25	5903684853687	2
EH007-050-8-NW99	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885267050	2
EH007-050-8-W	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261355	2
EH007-050-8-W25	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	25	5901885261362	2

### SERIA ECONOMIC















													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-050-8-W99	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885265315	2
EH007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261379	2
EH007-050-8-P	fioletowa	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5903684852154	2
EH007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261386	2
EH007-050-8-O	pomarańczowa	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885269030	2
EH007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265322	2
EH007-025-8-WW	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885261393	4
EH007-025-8-WW25	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267043	4
EH007-025-8-NW	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885265452	4
EH007-025-8-NW25	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267036	4




### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-025-8-W	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885261409	4
EH007-025-8-W25	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267494	4
EH007-025-8-R	czerwona	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851232	4
EH007-025-8-P	fioletowa	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851249	4
EH007-025-8-B	niebieska	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851256	4
EH007-025-8-O	pomarańczowa	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684852161	4
EH007-025-8-G	zielona	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851263	4
EH020-050-10-WW	2800-3200K	600	12	60	10	50	12	80	SMD2835	IP63	5	5901885264653	2
EH020-050-10-NW	4000-4500K	630	12	60	10	50	12	80	SMD2835	IP63	5	5901885267005	2
EH020-050-10-W	6000-7000K	660	12	60	10	50	12	80	SMD2835	IP63	5	5901885264660	2















### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH016-050-10-R	czerwona	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262093	2
EH016-050-10-B	niebieska	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262109	2
EH016-050-10-G	zielona	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262116	2

RYSUNKI TECHNICZNE



### SERIA ECONOMIC


													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PRO24-100-10-RGB	RGB	-	7,2	30	10	100	12	80	SMD5050	IP20	5	5902596558598	5
PRO24-100-10-RGB40	RGB	-	7,2	30	10	100	12	80	SMD5050	IP20	40	5902596558864	5
PRO24-050-10-RGB	RGB	-	14,4	60	10	50	12	80	SMD5050	IP20	5	5902596558581	6
PRO24-050-10-RGB40	RGB	-	14,4	60	10	50	12	80	SMD5050	IP20	40	5902596558895	6
PRO24-100-10-RGB+CCT	2800-7000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5903684853700	8
PRO24-100-10-RGB+NW	RGB+4000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885264882	7
PRO24-100-10-RGB+W	RGB+6000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885266916	7
PRO24-100-10-RGB+WW	RGB+3000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885264899	7
24PRO24-100-10-RGB	RGB	-	14,4	60	10	100	24	80	SMD5050	IP20	5	5901885264356	9



### SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L <sub>1</sub> [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH024-100-10-RGB	RGB	-	7,2	30	10	10	12	80	SMD5050	IP63	5	5902596558635	5
EH024-100-10-RGB25	RGB	-	7,2	30	10	100	12	80	SMD5050	IP63	25	5902596558970	5
EH024-100-10-RGB99	RGB	-	7,2	30	10	100	12	80	SMD5050	IP63	100	5901885267029	5
EH024-050-10-RGB	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	5	5902596558628	6
EH024-050-10-RGB25	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	25	5901885260518	6
EH024-050-10-RGB99	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	100	5901885267012	6

### RYSUNKI TECHNICZNE



# PRESCOT LED

**PRESCOT Sp. z o.o.**

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

[www.prescot.pl](http://www.prescot.pl)