

PRESCOT

ZASILACZE LED

DESKTOP



DESKTOP




NR KATALOGOWY	NAPIĘCIE wyj. [V]	NAPIĘCIE wej. [V]	MOC [W]	PRĄD [A]	PRZEWÓD L1 [cm]	PRZEWÓD L2 [cm]	WTYK DC	WYMIAR LxWxH [MM]	OCHRONA	EAN
PD-12-12/2.1	12	220	12	1	25	90	5,5/2,1	75x50x27	IP44	5901885263021
PD-24-12/2.1	12	220	24	2	25	90	5,5/2,1	110x50x30	IP44	5901885263038
PD-24-12/2.5	12	220	24	2	145	90	5,5/2,5	110x50x30	IP44	5901885263045
PD-36-12/2.1	12	220	36	3	145	110	5,5/2,1	110x50x30	IP44	5901885263069
PD-36-12/2.5	12	220	36	3	145	110	5,5/2,5	110x50x30	IP44	5901885263076
PD-60-12/2.1	12	220	60	5	119	90	5,5/2,1	118x50x32	IP44	5901885263083
PD-60-12/2.5	12	220	60	5	110	85	5,5/2,5	118x50x32	IP44	5901885263090
PD-72-12/2.1	12	220	72	6	110	85	5,5/2,1	131x56x32	IP44	5901885263106
PD-72-12/2.5	12	220	72	6	110	85	5,5/2,5	131x56x32	IP44	5903684851454
PD-96-12/2.1	12	220	96	8	110	85	5,5/2,1	132x60x34	IP44	5901885268330

DESKTOP



NR KATALOGOWY	NAPIĘCIE wyj. [V]	NAPIĘCIE wej. [V]	MOC [W]	PRĄD [A]	PRZEWÓD L1 [cm]	PRZEWÓD L2 [cm]	WTYK DC	WYMIAR LxWxH [MM]	OCHRONA	EAN
PD-120-12/2.1	12	220	120	10	110	105	5,5/2,1	168x63x38	IP44	5901885268347
PD-24-24/2.1	24	220	24	1	110	90	5,5/2,1	110x50x30	IP44	5901885268286
PD-60-24/2.1	24	220	36	2	110	90	5,5/2,1	118x50x32	IP44	5901885268316
PD-72-24/2.1	24	220	72	3	110	85	5,5/2,1	131x56x32	IP44	5901885268323



PRESCOT LED

PRESCOT Sp. z o.o.

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl