

PRESCOT

ZASILACZE LED


HERMETYCZNE



HERMETYCZNE OKRĄGŁE



NR KATALOGOWY	V_{wyj} NAPIĘCIE wyj. [V]	V_{wej} NAPIĘCIE wej. [V]	W MOC [W]	A PRĄD [A]	$\langle DC \rangle$ PRZEWÓD L1 [cm]	$\langle AC \rangle$ PRZEWÓD L2 [cm]	LxWxH WYMIAR LxWxH [mm]	OCHRONA	EAN
IP-10-12-O	12	230	10	0,83	14	14	58x58x25	IP67	5901885262536
IP-15-12-O	12	230	15	1,25	14	14	58x58x25	IP67	5901885262543
IP-20-12-O	12	230	20	1,67	14	14	58x58x25	IP67	5901885262550
IP-10-24-O	24	230	10	0,41	14	14	58x58x25	IP67	5901885262581
IP-15-24-O	24	230	15	0,625	13	13	58x58x25	IP67	5901885265575
IP-20-24-O	24	230	20	0,83	14	14	58x58x25	IP67	5901885265582



HERMETYCZNE



NR KATALOGOWY	NAPIĘCIE wyj. [V]	NAPIĘCIE wej. [V]	MOC [W]	PRĄD [A]	PRZEWÓD L1 [cm]	PRZEWÓD L2 [cm]	WYMIAR LxWxH [mm]	OCHRONA	EAN
IP-10-12	12	230	10	0,83	13	13	115x28x21	IP67	5902596558680
IP-10-12A	12	220	10	0,83	16	16	100x30x20	IP67	5903684855209
IP-15-12	12	220	15	1,25	13	13	162x29x21	IP67	5902596558673
IP-15-12A	12	220	15	1,25	15	17	100x30x20	IP67	5903684855216
IP-20-12	12	220	20	1,67	13	13	162x29x21	IP67	5901885267227
IP-20-12A	12	220	20	1,67	16	17	112x30x20	IP67	5903684855223
IP-30-12	12	220	30	2,5	13	13	192x29x21	IP67	5901885267234
IP-30-12A	12	220	30	2,5	18	18	142x30x20	IP67	5903684855230
IP-45-12	12	220	45	3,75	12	12	207x35x24	IP67	5901885267241
IP-60-12	12	220	60	5	22	22	165x46x25	IP67	5901885267258
IP-80-12	12	220	80	6,67	2x18	18	189x69x43	IP67	5901885262567
IP-100-12	12	220	100	8,33	2x18	20	189x69x43	IP67	5902596558826

HERMETYCZNE



NR KATALOGOWY	NAPIĘCIE wyj. [V]	NAPIĘCIE wej. [V]	MOC [W]	PRĄD [A]	PRZEWÓD L1 [cm]	PRZEWÓD L2 [cm]	WYMIAR LxWxH [mm]	OCHRONA	EAN
IP-150-12	12	220	150	12,5	2x19	17	251x68x43	IP67	5901885267265
IP-200-12	12	220	200	16,7	3x19	19	235x125x60	IP67	5901885260532
IP-200-12A	12	220	200	16,7	2x18	17	192x65x40	IP67	5903684855247
IP-250-12	12	220	250	20,83	3x18	20	250x74x52	IP67	5901885265551
IP-300-12	12	220	300	25	3x18	20	250x74x52	IP67	5901885265568
IP-10-24	24	220	10	0,41	13	13	115x28x21	IP67	5901885262574
IP-10-24A	24	220	10	0,41	13	13	100x30x20	IP67	5903684855254
IP-15-24	24	220	15	0,63	14	18	162x29x21	IP67	5901885262598
IP-15-24A	24	220	15	0,63	16	16	100x30x20	IP67	5903684855261
IP-20-24	24	220	20	0,83	13	13	162x29x21	IP67	5901885262604
IP-30-24	24	220	30	1,25	13	13	201x35x24	IP67	5901885262611
IP-45-24	24	220	45	1,87	20	18	203x35x24	IP67	5901885265599

HERMETYCZNE



NR KATALOGOWY	NAPIĘCIE wyj. [V]	NAPIĘCIE wej. [V]	MOC [W]	PRĄD [A]	PRZEWÓD L1 [cm]	PRZEWÓD L2 [cm]	WYMIAR LxWxH [mm]	OCHRONA	EAN
IP-45-24A	24	220	45	1,87	18	17	162x40x23	IP67	5903684855278
IP-60-24	24	220	60	2,5	22	22	165x46x25	IP67	5901885262673
IP-100-24	24	220	100	4,17	2x18	18	188x69x43	IP67	5901885262680
IP-150-24	24	220	150	6,25	2x18	18	260x68x42	IP67	5901885262697
IP-150-24A	24	220	150	6,25	2x21	22	235x123x60	IP67	5903684855285
IP-200-24	24	220	200	8,33	3x18	18	235x123x60	IP67	5901885262703
IP-250-24	24	220	250	10,41	3x18	18	236x123x60	IP67	5901885265605
IP-300-24	24	220	300	12,5	3x18	18	235x123x60	IP67	5901885265612



PRESCOT LED

PRESCOT Sp. z o.o.

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl