

PRESCOT

LED LUMINAIRES

AMONA





AMONA



AMONA



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	DIODE	HOUSING	PROTECTION	DIMENSION [mm]	EAN
OP-AMONA-59-WW	59	3000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5903684855483
OP-AMONA-59-NW	59	4000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5901885268576
OP-AMONA-59-W	59	6000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5903684855490
OP-AMONA-69-WW	69	3000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5903684855506
OP-AMONA-69-NW	69	4000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5903684855513
OP-AMONA-69-W	69	6000K	10100	220-240	80	SMD3030	PC UV	IP66	1180x85x75	5903684855520

ADDITIONAL INFORMATION

We can manufacture luminaires with any parameters based on client requirements.

Available models: Dali, 1-10V, Triac, Emergency lighting.



PRESCOT LED

PRESCOT Sp. z o.o.

Wilenska 1, 11-500 Gizycko

Telephone: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl