

PRESCOT

LED STRIP LIGHTS

DELUX SERIES





DELUX SERIES

DELUX SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24D009-250-8-WW	3000K	360	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885268248	14
24D009-250-8-NW	4000K	390	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885266688	14
24D009-250-8-W57	5700K	400	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885268453	14
24D009-250-8-W	6500K	410	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885269009	14
24D009-166-8-WW27	2700K	540	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261058	14
24D009-166-8-WW	3000K	560	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261065	15
24D009-166-8-NW	4000K	580	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261072	15
24D009-166-8-W57	5700K	590	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885268460	15
24D009-166-8-W	6500K	600	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261089	15
24D009-100-10-WW27	2700K	900	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261096	16



DELUX SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24D009-100-10-WW	3000K	930	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261102	16
24D009-100-10-NW	4000K	960	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261119	16
24D009-100-10-W57	5700K	980	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885268477	16
24D009-100-10-W	6500K	1000	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261126	16
24D009-100-10-AR	amber	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885268682	16
24D009-100-10-R	red	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266930	16
24D009-100-10-B	blue	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266923	16
24D009-100-10-G	green	640	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266947	16
24D009-063-10-WW27	2700K	1440	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267135	17
24D009-063-10-WW	3000K	1490	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267142	17

DELUX SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24D009-063-10-NW	4000K	1540	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267159	17
24D009-063-10-W57	5700K	1570	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885268484	17
24D009-063-10-W	6500K	1600	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267166	17
24D009-050-10-WW27	2700K	1800	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261133	18
24D009-050-10-WW	3000K	1860	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261140	18
24D009-050-10-NW	4000K	1920	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261157	18
24D009-050-10-W57	5700K	1960	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885268491	18
24D009-050-10-W	6500K	2000	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261164	18
12D022-050-10-3-WW	3000K	1700	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267067	19
12D022-050-10-3-NW	4000K	1800	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267074	19


DELUX SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
12D022-050-10-3-W	6000K	1900	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267081	19
24D023-100-10-WW	3000K	2720	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265346	16
24D023-100-10-NW	4000K	2800	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265353	16
24D023-100-10-W	6000K	2830	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265360	16
24DU009-100-10-27K	2700K	800	7,2	80	10	100	24	90	SMD2835	IP20	10	5901885267920	16
24DU009-050-10-27K	2700K	1700	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266169	18
24DU009-050-10-WW35	3000K	1750	14,4	160	10	50	24	90	SMD2835	IP20	10	5903684852093	18
24DU009-050-10-40K	4000K	1800	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266176	18
24DU009-050-10-55K	5500K	1850	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266183	18
24DU009-050-10-60K	6000K	1900	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266190	18


DELUX SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24D029-166-10-RGBWW	RGB+3000K	-	15	4x48	10	166	24	80	SMD2835	IP20	10	5903684855377	24
24D029-166-10-RGBNW	RGB+4000K	-	15	4x48	10	166	24	80	SMD2835	IP20	10	5903684855360	24
24D029-166-10-RGBW	RGB+5700K	-	15	4x48	10	166	24	80	SMD2835	IP20	10	5903684855353	24
24D024-070-11-RGB	RGB	610	23,5	98	11	70	24	80	SMD5050	IP20	10	5901885265933	20

TECHNICAL DRAWINGS



TECHNICAL DRAWINGS




SPECIAL SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L ₁ [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24D002-050-8-WW	3000K	430	3,2	160	8	50	24	80	SMD2835	IP20	10	5901885268514	18
24D002-050-8-NW	4000K	450	3,2	160	8	50	24	80	SMD2835	IP20	10	5901885268538	18
24D002-050-8-W	6000K	470	3,2	160	8	50	24	80	SMD2835	IP20	10	5903684855148	18
12D018-010-10-NWL	4000K	900	18	100	10	10	12	80	SMD2835	IP20	10	5901885265537	22
12D018-010-10-NWH	4000K	2000	18	100	10	10	12	80	SMD2835	IP20	10	5901885265544	22



TECHNICAL DRAWINGS



PRESCOT LED

PRESCOT Sp.z.o.o

Wilenska 1, 11-500 Gizycko

Telephone: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl