

PRESCOT

# LED STRIP LIGHTS

PREMIUM SERIES





# PREMIUM SERIES



### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
E007-100-8-WW	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885262468	1
E007-100-8-WW40	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854035	1
E007-100-8-NW	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264950	1
E007-100-8-NW40	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854042	1
E007-100-8-W	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261461	1
E007-100-8-W40	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854059	1
E007-100-8-W10K	9000-10000K	230	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261553	1
E007-100-8-W10K40	9000-10000K	230	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854066	1
E007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261003	2
E007-050-8-WW40	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885262482	2














### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
E007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261478	2
E007-050-8-NW40	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885265339	2
E007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261010	2
E007-050-8-W40	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885261546	2
E007-050-8-W10K	9000-10000K	450	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261560	2
E007-050-8-W10K40	9000-10000K	450	4,2	60	8	50	12	80	SMD2835	IP20	40	5903684854073	2
E007-050-8-R	red	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885260990	2
E007-050-8-B	blue	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261485	2
E007-050-8-G	green	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885262475	2
E007-050-8-Y	yellow	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684855339	2


### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
E007-031-8-WW	2800-3200K	570	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266855	3
E007-031-8-W	6000-7000K	670	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266848	3
E007-025-8-WW	2800-3200K	720	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261492	4
E007-025-8-WW40	2800-3200K	720	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885266985	4
E007-025-8-NW	4000-4500K	780	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261508	4
E007-025-8-NW40	4000-4500K	780	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885265513	4
E007-025-8-W	6000-7000K	840	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261027	4
E007-025-8-W40	6000-7000K	840	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264363	4
E007-025-8-W10K	9000-10000K	900	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261577	4
E007-025-8-W10K40	9000-10000K	900	8,4	120	8	25	12	80	SMD2835	IP20	40	5903684854080	4









### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
E007-050-8-CCT	2800-7000K	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885266046	4
E009-025-8-CCT	2800-7000K	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885268446	4
E020-050-10-WW	2800-3200K	1200	12	60	10	50	12	80	SMD2835	IP20	5	5901885260136	2
E020-050-10-NW	4000-4500K	1300	12	60	10	50	12	80	SMD2835	IP20	5	5901885265117	2
E020-050-10-W	6000-7000K	1320	12	60	10	50	12	80	SMD2835	IP20	5	5901885260143	2
E020-050-10-W10K	9000-10000K	1410	12	60	10	50	12	80	SMD2835	IP20	5	5901885264943	2

TECHNICAL DRAWINGS

















### PREMIUM SERIES


													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24E010-100-8-WW	3000K	840	7	70	8	100	24	80	SMD2835	IP20	5	5901885260457	11A
24E010-100-8-NW	4000K	910	7	70	8	100	24	80	SMD2835	IP20	5	5901885260464	11A
24E010-100-8-W	6000K	980	7	70	8	100	24	80	SMD2835	IP20	5	5901885260471	11A
24E010-050-10-WW	3000K	1680	14	140	10	50	24	80	SMD2835	IP20	5	5901885260488	11B
24E010-050-10-NW	4000K	1820	14	140	10	50	24	80	SMD2835	IP20	5	5901885260495	11B
24E010-050-10-W	6000K	1960	14	140	10	50	24	80	SMD2835	IP20	5	5901885260501	11B
24E010-033-10-WW	3000K	2520	21	210	10	33	24	80	SMD2835	IP20	5	5901885268705	11C
24E010-033-10-NW	4000K	2730	21	210	10	33	24	80	SMD2835	IP20	5	5901885268712	11C
24E010-033-10-W	6000K	2940	21	210	10	33	24	80	SMD2835	IP20	5	5901885268729	11C



### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24E005-025-8-NW	4000K	960	12	240	8	25	24	80	SMD2216	IP20	5	5901885267326	11D
24E007-025-10-WW	3000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267296	11E
24E007-025-10-NW	4000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267302	11E
24E007-025-10-W	6000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267319	11E















TECHNICAL DRAWINGS




### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
EHP007-100-8-WW	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264523	1
EHP007-100-8-NW	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264967	1
EHP007-100-8-W	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264530	1
EHP007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261522	2
EHP007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885264974	2
EHP007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261539	2
EHP007-050-8-R	red	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885269054	2
EHP007-050-8-B	blue	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265414	2
EHP007-050-8-G	green	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885266831	2
EHP007-025-8-WW	2800-3200K	720	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264547	4

### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
EHP007-025-8-NW	4000-4500K	780	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264981	4
EHP007-025-8-W	6000-7000K	840	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264554	4
EHP020-050-10-WW	2800-3200K	1200	12	60	10	50	12	80	SMD2835	IP63	5	5901885260846	2
EHP020-050-10-W	6000-7000K	1320	12	60	10	50	12	80	SMD2835	IP63	5	5901885260822	2

## TECHNICAL DRAWINGS



### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
ES007-050-4-WW	2800-3200K	360	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885264998	2
ES007-050-4-NW	4000-4500K	390	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885265001	2
ES007-050-4-W	6000-7000K	420	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885266992	2
ES007-050-4-W10K	9000-10000K	450	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885267418	2
ES007-050-4-R	red	-	4,2	60	4	50	12	80	SMD2835	IP20	5	5903684852178	2
ES007-050-4-B	blue	-	4,2	60	4	50	12	80	SMD2835	IP20	5	5903684852185	2
ES007-025-4-WW	2800-3200K	720	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852413	4
ES007-025-4-NW	4000-4500K	780	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852420	4
ES007-025-4-W	6000-7000K	840	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852437	4
ES007-025-4-W10K	9000-10000K	900	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852444	4

### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24ES004-050-4-NW	-	430	5,6	140	4	50	24	80	SMD2216	IP20	5	5901885267333	10
24ES004-031-5-NW	4000K	720	9	224	5	31	24	80	SMD2216	IP20	5	5901885267340	11
24ES009-031-5-NW	4000K	1300	20	224	5	31	24	80	SMD2216	IP20	5	5901885268507	11
B-E007-017-8-WW	2800-3200K	360	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268385	2
B-E007-017-8-NW	4000-4500K	390	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268354	2
W-E007-017-8-NW	4000-4500K	390	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268361	2
B-E007-017-8-W	6000-7000K	420	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268378	2















### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
B-E007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261584	2
B-E007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261591	2
B-E007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261607	2
EF018-050-6-WW	2800-3200K	920	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264851	23
EF018-050-6-NW	4000-4500K	1000	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264868	23
EF018-050-6-W	6000-7000K	1030	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264875	23
EC320-050-8-NW	4000-4500K	720	-	320	8	50	12	80	COB	IP20	5	5903684855063	21
EC528-050-10-WW	2800-3200K	1300	-	528	10	50	12	80	COB	IP20	5	5903684852369	21






### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
EC528-050-10-NW	4000-4500K	1400	-	528	10	50	12	80	COB	IP20	5	5903684852376	21
EC528-050-10-W	6000-7000K	1500	-	528	10	50	12	80	COB	IP20	5	5903684852383	21
24EC528-045-8-WW	2800-3200K	950	-	528	8	45	24	80	COB	IP20	5	5903684852345	21
24EC528-045-8-NW	4000-4500K	1000	-	528	8	45	24	80	COB	IP20	5	5903684852338	21
24EC528-045-8-W	6000-7000K	1050	-	528	8	45	24	80	COB	IP20	5	5903684852352	21

TECHNICAL DRAWINGS




TECHNICAL DRAWINGS


11



21



23













### PREMIUM SERIES


													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
E024-100-10-RGB	RGB	-	7,2	30	100	100	12	80	SMD5050	IP20	5	5901885260198	5
E024-100-10-RGB40	RGB	-	7,2	30	100	100	12	80	SMD5050	IP20	5	5903684854097	5
E024-050-10-RGB	RGB	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885260181	6
E024-050-10-RGB40	RGB	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5903684854103	6
E024-050-10-RGB+WW	RGB+3000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885264936	7
E024-050-10-RGB+NW	RGB+4000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885264929	7
E024-050-10-RGB+W	RGB+6000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885266978	7
24E024-100-10-CCT	3000-6500K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5903684852628	25
24E024-100-10-RGB	RGB	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885261515	12
24E024-100-10-RGB+NW	RGB+4000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885264905	13




### PREMIUM SERIES

													
CATALOG NO.	COLOR TEMPERATURE	BRIGHTNESS [lm]/m	POWER 1m [W]	NUMBER OF DIODES 1m	WIDTH W [mm]	CUT L <sub>1</sub> [mm]	VOLTAGE [V]	Ra	DIODE	PROTECTION	STRIP LENGTH [m]	EAN	TYPE
24E024-100-10-RGB+W	RGB+6000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885265391	13
24E024-100-10-RGB+WW	RGB+3000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885264912	13
EHP024-100-10-RGB	RGB	-	7,2	30	100	100	12	80	SMD5050	IP63	5	5901885260372	5
EHP024-050-10-RGB	RGB	-	14,4	60	50	50	12	80	SMD5050	IP63	5	5901885260389	6

TECHNICAL DRAWINGS



TECHNICAL DRAWINGS



# PRESCOT LED

**PRESCOT Sp.z.o.o**

Wilenska 1, 11-500 Gizycko

Telephone: +48 87 428 21 18

Fax: +48 87 428 17 09

[komponenty@prescot.pl](mailto:komponenty@prescot.pl)

[www.prescot.pl](http://www.prescot.pl)