

# ŚWIETLÓWKI LED

PRESCOT









### STANDARD



NR KATALOGOWY	MOC [W]	BARWA	JASNOŚĆ [lm]	NAPIĘCIE wej. [V]	TRZONEK	Ra	WYMIAR LxFI [mm]	EAN
PR7-G13-44-WW	7	3000	675	230	G13	80	440x26	5901885264820
PR7-G13-44-NW	7	4000	700	230	G13	80	440x26	5901885264837
PR7-G13-44-W	7	6000	735	230	G13	80	440x26	5901885264844
PR10-G13-60-WW	10	3000	900	230	G13	80	600x26	5901885261621
PR10-G13-60-NW	10	4000	950	230	G13	80	600x26	5901885261638
PR10-G13-60-W	10	6000	1000	230	G13	80	600x26	5901885261645
PR15-G13-90-WW	15	3000	1245	230	G13	80	900x26	5901885264790
PR15-G13-90-NW	15	4000	1300	230	G13	80	900x26	5901885264806
PR15-G13-90-W	15	6000	1365	230	G13	80	900x26	5901885264813
PR18-G13-120-WW	18	3000	1700	230	G13	80	1200x26	5901885261652
PR18-G13-120-NW	18	4000	1800	230	G13	80	1200x26	5901885261669

### STANDARD



NR  
KATALOGOWY

MOC  
[W]

BARWA

JASNOŚĆ  
[lm]

NAPIĘCIE  
wej. [V]

TRZONEK

Ra

WYMIAR  
LxFl [mm]

EAN

PR18-G13-120-W

18

6000

1900

230

G13

80

1200x26

5901885261676

PR25-G13-150-WW

25

3000

2950

230

G13

80

1500x26

5901885265018

PR25-G13-150-NW

25

4000

3100

230

G13

80

1500x26

5901885265025

PR25-G13-150-W

25

6000

3200

230

G13

80

1500x26

5901885265032





### MIĘSNE



NR  
KATALOGOWY

MOC  
[W]

BARWA

JASNOŚĆ  
[lm]

NAPIĘCIE  
wej. [V]

TRZONEK

Ra

WYMIAR  
LxFI [mm]

EAN

PR7-G13-44-M

7

różowa

610

230

G13

80

440x26

5901885267449

PR10-G13-60-M

10

różowa

880

230

G13

80

600x26

5901885267456

PR15-G13-90-M

15

różowa

1340

230

G13

80

900x26

5901885267463

PR18-G13-120-M

18

różowa

1660

230

G13

80

1200x26

5901885267470

PR25-G13-150-M

25

różowa

2520

230

G13

80

1500x26

5901885267487

# PRESCOT LED

**PRESCOT Sp. z o.o.**

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

[www.prescot.pl](http://www.prescot.pl)