

TAŚMY LED

PRESCOT





ECONOMIC



SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-100-8-WW	2800-3200K	90	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261416	1
PR007-100-8-WW40	2800-3200K	90	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885261423	1
PR007-100-8-NW	4000-4500K	105	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885267180	1
PR007-100-8-NW40	4000-4500K	105	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885267197	1
PR007-100-8-W	6000-7000K	120	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261430	1
PR007-100-8-W40	6000-7000K	120	2,1	30	8	100	12	80	SMD2835	IP20	40	5901885261447	1
PR007-100-8-R	czerwona	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264288	1
PR007-100-8-G	zielona	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264301	1
PR007-100-8-Y	żółta	-	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264318	1
PR007-050-8-WW	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261294	2

SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-050-8-WW40	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885261300	2
PR007-050-8-NW	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885265421	2
PR007-050-8-NW40	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885266695	2
PR007-050-8-W	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261034	2
PR007-050-8-W40	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885264219	2
PR007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264226	2
PR007-050-8-P	fioletowa	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684852024	2
PR007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264233	2
PR007-050-8-O	pomarańczowa	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885269023	2
PR007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885264240	2

SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-050-8-Y	żółta	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684855346	2
PR007-031-8-WW	2800-3200K	288	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266664	3
PR007-031-8-W	6000-7000K	384	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266671	3
PR007-025-8-WW	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261317	4
PR007-025-8-WW40	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264257	4
PR007-025-8-NW	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885265438	4
PR007-025-8-NW40	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP20	40	5903684852291	4
PR007-025-8-W	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261324	4
PR007-025-8-W40	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264264	4
PR007-025-8-R	czerwona	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852109	4

SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PR007-025-8-P	fioletowa	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852116	4
PR007-025-8-B	niebieska	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852123	4
PR007-025-8-O	pomarańczowa	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852130	4
PR007-025-8-G	zielona	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5903684852147	4
PR020-050-10-WW	2800-3200K	600	12	60	10	50	12	80	SMD2835	IP20	5	5901885261263	2
PR020-050-10-NW	4000-4500K	630	12	60	10	50	12	80	SMD2835	IP20	5	5901885266381	2
PR020-050-10-W	6000-7000K	660	12	60	10	50	12	80	SMD2835	IP20	5	5901885261287	2

SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-100-8-WW	2800-3200K	90	2,1	30	8	50	12	80	SMD2835	IP63	5	5901885261454	1
EH007-100-8-W	6000-7000K	120	2,1	30	8	50	12	80	SMD2835	IP63	5	5901885265520	1
EH007-050-8-WW	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261331	2
EH007-050-8-WW25	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	25	5901885261348	2
EH007-050-8-WW99	2800-3200K	180	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885265308	2
EH007-050-8-NW	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265445	2
EH007-050-8-NW25	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	25	5903684853687	2
EH007-050-8-NW99	4000-4500K	210	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885267050	2
EH007-050-8-W	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261355	2
EH007-050-8-W25	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	25	5901885261362	2















SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-050-8-W99	6000-7000K	240	4,2	60	8	50	12	80	SMD2835	IP63	100	5901885265315	2
EH007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261379	2
EH007-050-8-P	fioletowa	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5903684852154	2
EH007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261386	2
EH007-050-8-O	pomarańczowa	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885269030	2
EH007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265322	2
EH007-025-8-WW	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885261393	4
EH007-025-8-WW25	2800-3200K	360	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267043	4
EH007-025-8-NW	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885265452	4
EH007-025-8-NW25	4000-4500K	420	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267036	4


SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH007-025-8-W	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP63	5	5901885261409	4
EH007-025-8-W25	6000-7000K	480	8,4	120	8	25	12	80	SMD2835	IP63	25	5901885267494	4
EH007-025-8-R	czerwona	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851232	4
EH007-025-8-P	fioletowa	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851249	4
EH007-025-8-B	niebieska	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851256	4
EH007-025-8-O	pomarańczowa	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684852161	4
EH007-025-8-G	zielona	-	8,4	120	8	25	12	80	SMD2835	IP63	5	5903684851263	4
EH020-050-10-WW	2800-3200K	600	12	60	10	50	12	80	SMD2835	IP63	5	5901885264653	2
EH020-050-10-NW	4000-4500K	630	12	60	10	50	12	80	SMD2835	IP63	5	5901885267005	2
EH020-050-10-W	6000-7000K	660	12	60	10	50	12	80	SMD2835	IP63	5	5901885264660	2















SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH016-050-10-R	czerwona	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262093	2
EH016-050-10-B	niebieska	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262109	2
EH016-050-10-G	zielona	-	12	60	10	50	12	80	SMD2835	IP63	5	5901885262116	2

RYSUNKI TECHNICZNE




SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
PRO24-100-10-RGB	RGB	-	7,2	30	10	100	12	80	SMD5050	IP20	5	5902596558598	5
PRO24-100-10-RGB40	RGB	-	7,2	30	10	100	12	80	SMD5050	IP20	40	5902596558864	5
PRO24-050-10-RGB	RGB	-	14,4	60	10	50	12	80	SMD5050	IP20	5	5902596558581	6
PRO24-050-10-RGB40	RGB	-	14,4	60	10	50	12	80	SMD5050	IP20	40	5902596558895	6
PRO24-100-10-RGB+CCT	2800-7000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5903684853700	8
PRO24-100-10-RGB+NW	RGB+4000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885264882	7
PRO24-100-10-RGB+W	RGB+6000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885266916	7
PRO24-100-10-RGB+WW	RGB+3000K	-	14,4	30+30	10	100	12	80	SMD5050	IP20	5	5901885264899	7
24PRO24-100-10-RGB	RGB	-	14,4	60	10	100	24	80	SMD5050	IP20	5	5901885264356	9

SERIA ECONOMIC

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EH024-100-10-RGB	RGB	-	7,2	30	10	10	12	80	SMD5050	IP63	5	5902596558635	5
EH024-100-10-RGB25	RGB	-	7,2	30	10	100	12	80	SMD5050	IP63	25	5902596558970	5
EH024-100-10-RGB99	RGB	-	7,2	30	10	100	12	80	SMD5050	IP63	100	5901885267029	5
EH024-050-10-RGB	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	5	5902596558628	6
EH024-050-10-RGB25	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	25	5901885260518	6
EH024-050-10-RGB99	RGB	-	14,4	60	10	50	12	80	SMD5050	IP63	100	5901885267012	6

RYSUNKI TECHNICZNE





PREMIUM



SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
E007-100-8-WW	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885262468	1
E007-100-8-WW40	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854035	1
E007-100-8-NW	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885264950	1
E007-100-8-NW40	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854042	1
E007-100-8-W	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261461	1
E007-100-8-W40	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854059	1
E007-100-8-W10K	9000-10000K	230	2,1	30	8	100	12	80	SMD2835	IP20	5	5901885261553	1
E007-100-8-W10K40	9000-10000K	230	2,1	30	8	100	12	80	SMD2835	IP20	40	5903684854066	1
E007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261003	2
E007-050-8-WW40	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885262482	2

SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
E007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261478	2
E007-050-8-NW40	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885265339	2
E007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261010	2
E007-050-8-W40	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	40	5901885261546	2
E007-050-8-W10K	9000-10000K	450	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261560	2
E007-050-8-W10K40	9000-10000K	450	4,2	60	8	50	12	80	SMD2835	IP20	40	5903684854073	2
E007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885260990	2
E007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261485	2
E007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885262475	2
E007-050-8-Y	żółta	-	4,2	60	8	50	12	80	SMD2835	IP20	5	5903684855339	2

SERIA PREMIUM


NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
E007-031-8-WW	2800-3200K	570	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266855	3
E007-031-8-W	6000-7000K	670	6,7	96	8	31	12	80	SMD2835	IP20	5	5901885266848	3
E007-025-8-WW	2800-3200K	720	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261492	4
E007-025-8-WW40	2800-3200K	720	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885266985	4
E007-025-8-NW	4000-4500K	780	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261508	4
E007-025-8-NW40	4000-4500K	780	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885265513	4
E007-025-8-W	6000-7000K	840	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261027	4
E007-025-8-W40	6000-7000K	840	8,4	120	8	25	12	80	SMD2835	IP20	40	5901885264363	4
E007-025-8-W10K	9000-10000K	900	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885261577	4
E007-025-8-W10K40	9000-10000K	900	8,4	120	8	25	12	80	SMD2835	IP20	40	5903684854080	4











SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
E007-050-8-CCT	2800-7000K	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885266046	4
E009-025-8-CCT	2800-7000K	-	8,4	120	8	25	12	80	SMD2835	IP20	5	5901885268446	4
E020-050-10-WW	2800-3200K	1200	12	60	10	50	12	80	SMD2835	IP20	5	5901885260136	2
E020-050-10-NW	4000-4500K	1300	12	60	10	50	12	80	SMD2835	IP20	5	5901885265117	2
E020-050-10-W	6000-7000K	1320	12	60	10	50	12	80	SMD2835	IP20	5	5901885260143	2
E020-050-10-W10K	9000-10000K	1410	12	60	10	50	12	80	SMD2835	IP20	5	5901885264943	2

RYSUNKI TECHNICZNE




SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24E010-100-8-WW	3000K	840	7	70	8	100	24	80	SMD2835	IP20	5	5901885260457	11A
24E010-100-8-NW	4000K	910	7	70	8	100	24	80	SMD2835	IP20	5	5901885260464	11A
24E010-100-8-W	6000K	980	7	70	8	100	24	80	SMD2835	IP20	5	5901885260471	11A
24E010-050-10-WW	3000K	1680	14	140	10	50	24	80	SMD2835	IP20	5	5901885260488	11B
24E010-050-10-NW	4000K	1820	14	140	10	50	24	80	SMD2835	IP20	5	5901885260495	11B
24E010-050-10-W	6000K	1960	14	140	10	50	24	80	SMD2835	IP20	5	5901885260501	11B
24E010-033-10-WW	3000K	2520	21	210	10	33	24	80	SMD2835	IP20	5	5901885268705	11C
24E010-033-10-NW	4000K	2730	21	210	10	33	24	80	SMD2835	IP20	5	5901885268712	11C
24E010-033-10-W	6000K	2940	21	210	10	33	24	80	SMD2835	IP20	5	5901885268729	11C

SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24E005-025-8-NW	4000K	960	12	240	8	25	24	80	SMD2216	IP20	5	5901885267326	11D
24E007-025-10-WW	3000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267296	11E
24E007-025-10-NW	4000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267302	11E
24E007-025-10-W	6000K	1700	20	280	10	25	24	80	SMD2216	IP20	5	5901885267319	11E

RYSUNKI TECHNICZNE




SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EHP007-100-8-WW	2800-3200K	180	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264523	1
EHP007-100-8-NW	4000-4500K	195	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264967	1
EHP007-100-8-W	6000-7000K	210	2,1	30	8	100	12	80	SMD2835	IP63	5	5901885264530	1
EHP007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261522	2
EHP007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885264974	2
EHP007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885261539	2
EHP007-050-8-R	czerwona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885269054	2
EHP007-050-8-B	niebieska	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885265414	2
EHP007-050-8-G	zielona	-	4,2	60	8	50	12	80	SMD2835	IP63	5	5901885266831	2
EHP007-025-8-WW	2800-3200K	720	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264547	4

SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EHP007-025-8-NW	4000-4500K	780	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264981	4
EHP007-025-8-W	6000-7000K	840	7,2	120	8	25	12	80	SMD2835	IP63	5	5901885264554	4
EHP020-050-10-WW	2800-3200K	1200	12	60	10	50	12	80	SMD2835	IP63	5	5901885260846	2
EHP020-050-10-W	6000-7000K	1320	12	60	10	50	12	80	SMD2835	IP63	5	5901885260822	2

RYSUNKI TECHNICZNE



SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
ES007-050-4-WW	2800-3200K	360	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885264998	2
ES007-050-4-NW	4000-4500K	390	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885265001	2
ES007-050-4-W	6000-7000K	420	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885266992	2
ES007-050-4-W10K	9000-10000K	450	4,2	60	4	50	12	80	SMD2835	IP20	5	5901885267418	2
ES007-050-4-R	czerwona	-	4,2	60	4	50	12	80	SMD2835	IP20	5	5903684852178	2
ES007-050-4-B	niebieska	-	4,2	60	4	50	12	80	SMD2835	IP20	5	5903684852185	2
ES007-025-4-WW	2800-3200K	720	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852413	4
ES007-025-4-NW	4000-4500K	780	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852420	4
ES007-025-4-W	6000-7000K	840	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852437	4
ES007-025-4-W10K	9000-10000K	900	7,2	120	4	25	12	80	SMD2835	IP20	5	5903684852444	4

SERIA PREMIUM















													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24ES004-050-4-NW	-	430	5,6	140	4	50	24	80	SMD2216	IP20	5	5901885267333	10
24ES004-031-5-NW	4000K	720	9	224	5	31	24	80	SMD2216	IP20	5	5901885267340	11
24ES009-031-5-NW	4000K	1300	20	224	5	31	24	80	SMD2216	IP20	5	5901885268507	11
B-E007-017-8-WW	2800-3200K	360	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268385	2
B-E007-017-8-NW	4000-4500K	390	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268354	2
W-E007-017-8-NW	4000-4500K	390	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268361	2
B-E007-017-8-W	6000-7000K	420	4,2	60	8	17	5	80	SMD2835	IP20	5	5901885268378	2

SERIA PREMIUM


													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
B-E007-050-8-WW	2800-3200K	360	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261584	2
B-E007-050-8-NW	4000-4500K	390	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261591	2
B-E007-050-8-W	6000-7000K	420	4,2	60	8	50	12	80	SMD2835	IP20	5	5901885261607	2
EF018-050-6-WW	2800-3200K	920	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264851	23
EF018-050-6-NW	4000-4500K	1000	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264868	23
EF018-050-6-W	6000-7000K	1030	10,8	60	6	50	12	80	SMD2835	IP20	5	5901885264875	23
EC320-050-8-NW	4000-4500K	720	-	320	8	50	12	80	COB	IP20	5	5903684855063	21
EC528-050-10-WW	2800-3200K	1300	-	528	10	50	12	80	COB	IP20	5	5903684852369	21



SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
EC528-050-10-NW	4000-4500K	1400	-	528	10	50	12	80	COB	IP20	5	5903684852376	21
EC528-050-10-W	6000-7000K	1500	-	528	10	50	12	80	COB	IP20	5	5903684852383	21
24EC528-045-8-WW	2800-3200K	950	-	528	8	45	24	80	COB	IP20	5	5903684852345	21
24EC528-045-8-NW	4000-4500K	1000	-	528	8	45	24	80	COB	IP20	5	5903684852338	21
24EC528-045-8-W	6000-7000K	1050	-	528	8	45	24	80	COB	IP20	5	5903684852352	21


RYSUNKI TECHNICZNE




11



21

















23




SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
E024-100-10-RGB	RGB	-	7,2	30	100	100	12	80	SMD5050	IP20	5	5901885260198	5
E024-100-10-RGB40	RGB	-	7,2	30	100	100	12	80	SMD5050	IP20	5	5903684854097	5
E024-050-10-RGB	RGB	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885260181	6
E024-050-10-RGB40	RGB	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5903684854103	6
E024-050-10-RGB+WW	RGB+3000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885264936	7
E024-050-10-RGB+NW	RGB+4000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885264929	7
E024-050-10-RGB+W	RGB+6000K	-	14,4	60	50	50	12	80	SMD5050	IP20	5	5901885266978	7
24E024-100-10-CCT	3000-6500K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5903684852628	25
24E024-100-10-RGB	RGB	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885261515	12
24E024-100-10-RGB+NW	RGB+4000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885264905	13


SERIA PREMIUM

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24E024-100-10-RGB+W	RGB+6000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885265391	13
24E024-100-10-RGB+WW	RGB+3000K	-	14,4	60	100	100	24	80	SMD5050	IP20	5	5901885264912	13
EHP024-100-10-RGB	RGB	-	7,2	30	100	100	12	80	SMD5050	IP63	5	5901885260372	5
EHP024-050-10-RGB	RGB	-	14,4	60	50	50	12	80	SMD5050	IP63	5	5901885260389	6

RYSUNKI TECHNICZNE



RYSUNKI TECHNICZNE





DELUX











SERIA DELUX

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24D009-250-8-WW	3000	360	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885268248	14
24D009-250-8-NW	4000	390	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885266688	14
24D009-250-8-W57	5700	400	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885268453	14
24D009-250-8-W	6500	410	2,9	32	8	250	24	80	SMD2835	IP20	10	5901885269009	14
24D009-166-8-WW27	2700	540	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261058	14
24D009-166-8-WW	3000	560	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261065	15
24D009-166-8-NW	4000	580	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261072	15
24D009-166-8-W57	5700	590	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885268460	15
24D009-166-8-W	6500	600	4,3	48	8	166	24	80	SMD2835	IP20	10	5901885261089	15
24D009-100-10-WW27	2700	900	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261096	16



SERIA DELUX

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24D009-100-10-WW	3000	930	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261102	16
24D009-100-10-NW	4000	960	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261119	16
24D009-100-10-W57	5700	980	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885268477	16
24D009-100-10-W	6500	1000	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885261126	16
24D009-100-10-AR	amber	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885268682	16
24D009-100-10-R	czerwona	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266930	16
24D009-100-10-B	niebieska	-	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266923	16
24D009-100-10-G	zielona	640	7,2	80	10	100	24	80	SMD2835	IP20	10	5901885266947	16
24D009-063-10-WW27	2700	1440	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267135	17
24D009-063-10-WW	3000	1490	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267142	17



SERIA DELUX

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24D009-063-10-NW	4000	1540	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267159	17
24D009-063-10-W57	5700	1570	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885268484	17
24D009-063-10-W	6500	1600	11,5	128	10	63	24	80	SMD2835	IP20	10	5901885267166	17
24D009-050-10-WW27	2700	1800	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261133	18
24D009-050-10-WW	3000	1860	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261140	18
24D009-050-10-NW	4000	1920	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261157	18
24D009-050-10-W57	5700	5700	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885268491	18
24D009-050-10-W	6500	6500	14,4	160	10	50	24	80	SMD2835	IP20	10	5901885261164	18
12D022-050-10-3-WW	3000	1700	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267067	19
12D022-050-10-3-NW	4000	1800	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267074	19

SERIA DELUX


													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
12D022-050-10-3-W	6000	1900	13,2	60	10	50	12	80	SMD5630	IP20	10	5901885267081	19
24D023-100-10-WW	3000	2720	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265346	16
24D023-100-10-NW	4000	2800	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265353	16
24D023-100-10-W	6000	2830	18,4	80	10	100	24	80	SMD2835	IP20	10	5901885265360	16
24DU009-100-10-27K	2700	800	7,2	80	10	100	24	90	SMD2835	IP20	10	5901885267920	16
24DU009-050-10-27K	2700	1700	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266169	18
24DU009-050-10-WW35	3000	1750	14,4	160	10	50	24	90	SMD2835	IP20	10	5903684852093	18
24DU009-050-10-40K	4000	1800	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266176	18
24DU009-050-10-55K	5500	1850	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266183	18
24DU009-050-10-60K	6000	1900	14,4	160	10	50	24	90	SMD2835	IP20	10	5901885266190	18




SERIA DELUX

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24D029-166-10-RGBWW	RGB+3000	-	-	4x48	10	166	24	80	SMD2835	IP20	10	5903684855377	24
24D029-166-10-RGBNW	RGB+4000	-	-	4x48	10	166	24	80	SMD2835	IP20	10	5903684855360	24
24D029-166-10-RGBW	RGB+5700	-	-	4x48	10	166	24	80	SMD2835	IP20	10	5903684855353	24
24D024-070-11-RGB	RGB	610	23,5	98	11	70	24	80	SMD5050	IP20	10	5901885265933	20






RYSUNKI TECHNICZNE




RYSUNKI TECHNICZNE



SPECIAL

													
NR KATALOGOWY	BARWA	JASNOŚĆ [lm]/m	MOC 1m [W]	ILOŚĆ DIOD 1m	SZEROKOŚĆ W [mm]	CIĘCIE L ₁ [mm]	NAPIĘCIE [V]	Ra	DIODA	OCHRONA	ROLKA [m]	EAN	TYP
24D002-050-8-WW	3000	430	3,2	160	8	50	24	80	SMD2835	IP20	10	5901885268514	18
24D002-050-8-NW	4000	450	3,2	160	8	50	24	80	SMD2835	IP20	10	5901885268538	18
24D002-050-8-W	6000	470	3,2	160	8	50	24	80	SMD2835	IP20	10	5903684855148	18
12D018-010-10-NWL	4000	900	18	100	10	10	12	80	SMD2835	IP20	10	5901885265537	22
12D018-010-10-NWH	4000	2000	18	100	10	10	12	80	SMD2835	IP20	10	5901885265544	22



PRESCOT LED

PRESCOT Sp. z o.o.

ul. Wileńska 1, 11-500 Giżycko

Telefon: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl